Interference

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L22	61	l19 and (different or separate$2 or distinguish$2).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/07/07 12:09
L21	107	l19 and (different or separate$2 or distinguish$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/07/07 12:09
L19	113	((search$3 or seek$3 or find$3) with (data or file$2 or object$2 or element$2) with (technique$2 or algorithm$2 or way$2) with (storage or disk or drive or volume)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/07/07 12:09
L24	8	l23 and l22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/07/07 12:10
L23	15	((search$3 or seek$3 or find$3) with (two or multiple) with (data or file$2 or object$2 or element$2) with (technique$2 or algorithm$2 or way$2) with (storage or disk or drive or volume)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/07/07 12:10

Search Strategy

No.	Database	Search term	Info added since	Results
1	INZZ	(search$3 OR seek$3 OR find$3) WITH (data OR file$2 OR object$2) WITH (algorithm$2 OR technique$2 OR way$2)	unrestricted	4977
2	INZZ	(search$3 OR seek$3 OR find$3) NEAR (technique$2 OR algorithm$2)	unrestricted	48597
3	INZZ	1 AND 2	unrestricted	3097
4	INZZ	storage$2 OR volume$2 OR drive$2 OR disc$2	unrestricted	1579238
5	INZZ	3 AND 4	unrestricted	649
6	INZZ	top NEAR down AND bottom NEAR up	unrestricted	2420
7	INZZ	5 AND 6	unrestricted	0
8	INZZ	top NEAR down	unrestricted	7505
9	INZZ	5 AND 8	unrestricted	1
10	INZZ	bottom NEAR up	unrestricted	5636
11	INZZ	5 AND 10	unrestricted	0
12	INZZ	top NEAR down NEAR (search OR seek OR mine) NEAR (algorithm OR method OR technique)	unrestricted	12
13	INZZ	bottom NEAR up NEAR (search OR seek OR mine) NEAR (algorithm OR method OR technique)	unrestricted	15

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S91	554	((data or files) near (seek or search or find) near (method$2 or technique$2 or algorithm$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 21:30
S93	12	S91 and ((replicat$3 or duplicat$3 or mirror$3 or redudan$4) with (storage$2 or volume$2 or disk$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 21:31
S92	1	S91 same ((replicat$3 or duplicat$3 or mirror$3 or redudan$4) with (storage$2 or volume$2 or disk$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 21:31
L6	7787	L5 and storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 11:53
L5	8700	L3 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 11:53
L4	25493719	@ad<="20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 11:53
L3	10353	(raid or mirror) and (data near (access or request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 11:53
L2	292	read$3 data different storage location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/07/07 11:53

EAST Search History

L1	2	data search$3 in different storage location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/07/07 11:53
L12	2	simultaneous$3 search$ data different technique storage area copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/07 11:54
L11	76	L10 and (read or access) near (technique or algorithm or method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/07 11:54
L10	1704	L7 and mirror	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/07 11:54
L9	1170	L8 and @pd<"20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 11:54
L8	1914	L6 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 11:54
L7	30315	("711").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 11:54
L15	13	(round adj robin) near advanta$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/07/07 11:55

L14	4	top adj down with advant$5 same search$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/07/07 11:55
L13	37	(terminat$3 or stop$4 or complet$3) near access near request with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/07/07 11:55
L16	40	(seek$3 or search$3) same (two near (storage near (area$2 or drive$3 or device$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/07/07 11:57
L17	13	l16 and (mirror$3 or duplicat$3 or replicat$3 or redundan$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/07/07 11:58